



ISTITUTO ITALIANO DI
GARANZIA DELLA QUALITÀ

Certificate of factory production control **1608 CPD P125**

In compliance with Council Directive 89/106/EEC of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to the construction products (CPD), as later amended, it has been stated that the construction product

Aluminium and aluminium alloys products for structural purposes

whose characteristics are detailed in the attached annex,
placed on the market by

Indinvest LT Srl

S.P. Ninfina Ilø km 1,200 04012 Cisterna di Latina LT - IT

and produced in the factory(ies)

Cisterna di Latina LT - IT

is submitted by the manufacturer to the initial type-testing of the products, a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the notified body N. 1608 - IGQ has performed the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that all provisions concerning the attestation of factory production control described in Annex ZA of the standard

EN 15088: 2005

were applied.

First issue: **20/12/2012**

Current issue: **20/12/2012**

Ing. Dario Agalberto
Director

This certificate remains valid as long as the conditions laid down in the harmonised standard in reference or the manufacturing conditions in the factory or the FPC itself are not modified significantly.



ISTITUTO ITALIANO DI
GARANZIA DELLA QUALITÀ

APPENDIX TO CERTIFICATE **1608 CPD P125**

Aluminium and aluminium alloys products according to EN 15088

Product	Product standards	Material designation	Delivery condition	Dimensional range
Extruded round bars	EN 755-1 EN 755-2 EN 755-3	6005A	T6	Ø 10 ÷ 75 mm
		6060	T4, T5, T6, T64 e T66	
		6063	T4, T5, T6 e T66	
		6082	T4, T5 e T6	
Extruded round bars	EN 755-1 EN 755-2 EN 755-4	6005A	T6	≠ 8 ÷ 52 mm
		6060	T4, T5, T6, T64 e T66	
		6063	T4, T5, T6 e T66	
		6082	T4, T5 e T6	
Extruded rectangular bars	EN 755-1 EN 755-2 EN 755-5	6005A	T6	≠ 13x10 ÷ 200x20 mm
		6060	T4, T5, T6, T64 e T66	
		6063	T4, T5, T6 e T66	
		6082	T4, T5 e T6	
Extruded hexagonal bars	EN 755-1 EN 755-2 EN 755-6	6005A	T6	≠ 16
		6060	T4, T5, T6, T64 e T66	
		6063	T4, T5, T6 e T66	
		6082	T4, T5 e T6	
Extruded seamless tubes	EN 755-1 EN 755-2 EN 755-7	6005A	T6	Ø15 ÷ 180 mm thickness 1,5 ÷ 20 mm
		6060	T4, T5, T6, T64 e T66	
		6063	T4, T5, T6 e T66	
		6082	T4, T5 e T6	



ISTITUTO ITALIANO DI
GARANZIA DELLA QUALITÀ

APPENDIX TO CERTIFICATE **1608 CPD P122**

Aluminium and aluminium alloys products according to EN 15088

Product	Product standards	Material designation	Delivery condition	Dimensional range
Extruded square porthole tubes	EN 755-1 EN 755-2 EN 755-8	6005A	T6	≠ 15 ÷ 150 mm thickness 1,5 ÷ 4 mm
		6060	T4, T5, T6, T64 e T66	
		6063	T4, T5, T6 e T66	
		6082	T4, T5 e T6	
Extruded rectangular porthole tubes	EN 755-1 EN 755-2 EN 755-8	6005A	T6	≠ 20x10 ÷ 10x250 mm thickness 1,5 ÷ 8 mm
		6060	T4, T5, T6, T64 e T66	
		6063	T4, T5, T6 e T66	
		6082	T4, T5 e T6	
Extruded profiles for general purposes	EN 755-1 EN 755-2 EN 755-9	6005A	T4 e T6	circumscribed circle ≤ 350 mm
		6060	T4, T5, T6, T64 e T66	
		6063	T4, T5 e T6	
		6082	O, H ₁₁₁ , T4, T5 e T6	
Extruded precision profiles	EN 12020-1 EN 12020-2	6005A	T4 e T6	circumscribed circle ≤ 350 mm
		6060	T4, T5, T6, T64 e T66	
		6063	O, H ₁₁₁ , T4, T5, T6 e T66	
		6082	O, H ₁₁₁ , T4 e T6	

first issue: **20/12/2012**
current issue: **20/12/2012**

ing. Dario Agalbato
Director